

Lumi is a groundbreaking new range of customisable, matching frameless windows, bi-folds and doors from Apeer. With their completely flat, uninterrupted profile, these radically styled windows bring a wall of light to your home.

Hidden under the ceramic colour lies the secret to Lumi's strength - energy efficient triple glazing that has been structurally bonded to an internal core of high strength, glass-fibre reinforced profiles. This intelligent piece of engineering is the first of its kind on the market, bringing all the design benefits of frameless glazing with all the strength, security and internal styling of more traditional windows and doors.
















External Finishing.

A subtle band of ceramic colour has been fused at extremely high temperature to the glass inside the glazing unit. Available in eight different finishes, all colours are protected from the elements reducing the possibility of fading over time. Plus, no external frames mean that maintenance and cleaning are every bit as minimal as the styling.


External Colours Available



Every effort has been mad to reproduce the Lumi colours. However, printing constraints will give rise to some colour deviation.







Window L5Picture with side opener

U-value = $0.8090 \text{ w/m}^2\text{k}$, $2200 \text{mm} \times 1300 \text{mm}$ (Soft coat and argon gas filled).

For **external** finishes see page 9 For **internal** finishes see page 19 See page 15 for all available Window Combinations




Window L8Picture with two side openers

U-value = 0.8957 w/m²k, 2200mm x 1300mm (Soft coat and argon gas filled).

For **external** finishes see page 9 For **internal** finishes see page 19 See page 15 for all available Window Combinations







Window L7

Picture with two top openers

U-Value = 0.8781 w/m²k, 2200mm x 1300mm (Soft coat and argon gas filled).

For **external** finishes see page 9 For **internal** finishes see page 19 See page 15 for all available Window Combinations



Window L1

Picture window with no opener

U-value = 0.7291 w/m²k, 1300mm x 1800mm (Soft coat and argon gas filled).

For **external** finishes see page 9 For **internal** finishes see page 19 See page 15 for all available Window Combinations

13



Window L6

French style openers left & right


U-value = 0.9169 w/m²k, 1300mm x 1800mm (Soft coat and argon gas filled).

For **external** finishes see page 9 For **internal** finishes see page 19 See page 15 for all available Window Combinations


Window Combinations

The Lumi Windows are available in various combinations.

All window combinations are available in a variety of sizes and are custom made for your home.



15





<<
An interior finish that can be matched across the trims, window boards and sills.







Internal Colours Available




Every effort has been made to reproduce the Lumi colours. However, printing constraints will give rise to some colour deviation.







The 50mm triple glazing is made from 6-4-4 toughened glass, insulating the home against both cold and noise. The flush glazing completely hides the glass-fibre double rebate stormproof frame, offering exceptional U-values and unparalleled weather protection. We can also supply this triple glazed unit with two panes of low emissivity glass filled with argon gas for enhanced energy efficiency.






oncealed hinge



riction s




As with all Apeer products, the Lumi collection comes with a 10 year guarantee to cover structural, mechanical and colour.




Bi-Fold Doors

Lumi bi-folds might look like and behave like Lumi windows and doors, but they work slightly differently. Their 62mm triple glazed insulated glass unit is structurally bonded to a twin seal thermally broken aluminium frame with insulating foam inserts. However, they are one of the most energy efficient bi-folds on the market with excellent U-values. And they have achieved burglar resistance of WK/RC (DIN EN 1627) with Schüco multi point lock system with shoot bolts.




The Lumi Bi-Fold doors are available in 2, 3, 4, 5 & 6 door combinations.



U-value = $1.3 \text{ w/m}^2\text{k}$, $5000\text{mm} \times 2200\text{mm}$ (Soft coat and argon gas filled).

For **external** finishes see page 9 For **internal** finishes see page 19









All Bi-Fold doors open outwards.

French Door



U-value = $0.8843 \text{ w/m}^2\text{k}$, $1800 \text{mm} \times 2150 \text{mm}$ (Soft coat and argon gas filled).

For **external** finishes see page 9 For **internal** finishes see page 19










Due to the different materials used in the ceramic fused colour glass border and the glass-fibre profiles and doors a variation in colour shading is to be expected.



Fully Glazed Entrance Door



Due to the different materials used in the ceramic fused colour glass border and the glass-fibre profiles and doors a variation in colour shading is to be expected.



U-value = $0.9891 \text{ w/m}^2\text{k}$, $1300 \text{mm} \times 2150 \text{mm}$ (Soft coat and argon gas filled).

For **external** finishes see page 9 For **internal** finishes see page 19









As you would expect from Apeer, the manufacturers of some of the most advanced glass-fibre reinforced doors on the market, Lumi doors are an impressive addition to the Lumi range. Available fully or partially glazed, every Lumi door comes with police approved, "secured by design" anti-pick, anti-bump, anti-drill and anti-snap Kitemarked cylinder lock barrels as standard. Plus, our triple glazing provides so much insulation against the cold that they have achieved an enviable A rating in energy conservation.





Composite Entrance Doors

LD2 Black



U-value = $0.6101 \text{ w/m}^2\text{k}$, $1300 \text{mm} \times 2150 \text{mm}$ (Soft coat and argon gas filled).

Due to the different materials used in the ceramic fused colour gla the glass-fibre profiles and doors a variation in colour shading is to

For **external** finishes see page 9 For **internal** finishes see page 19

> all sidelight and toplight combinations please refer ne Apeer Lumi Window Builder program.

Composite Entrance Doors

LD5 Light Grey




U-value = $0.7235 \text{ w/m}^2\text{k}$, $1300 \text{mm} \times 2150 \text{mm}$ (Soft coat and argon gas filled).

Composite Entrance Doors

LDO Anthracite Grey



U-value = $0.5816 \text{ w/m}^2\text{k}$, $1300 \text{mm} \times 2150 \text{mm}$.



Apeer

From their Co. Antrim headquarters, Apeer design, manufacture and supply some of the industry's most advanced windows and doors. Perhaps best known for their range of energy efficient, highly secure, low maintenance composite doors, Apeer is respected as a pioneer in the door and glazing markets.

www.apeer.co.uk/lumi

Woodside Industrial Estate Woodside Road Ballymena, Co. Antrim Northern Ireland BT42 4HX

T: 08456 729 333 T: 04825 632 200 (ROI) sales@apeer.co.uk

Apeer is a registered brand of New World Developments Ltd.

New World reserves the right to make alterations to any of the featured products without prior notice.